

INDEX MAPS.

T. H

T.11N R.3W 2nd Mer.

	7	7-8	6-8	6-8	6-9	6-9					
11	6	5	28	4	30	3	32	2	37	1	5
	26	26-28	29	31	36	36					
10	7	25	8	9	29	10	31	11	35	12	5
	25	25	24-29	31	34	35					
10	18	17	24	16	23	15	30	14	34	13	5
	22	23	23	17	17	17	33	33			
10	19	20	19	21	16	22	14	23	32	24	4
	22	21	19	16	13	14	33				
10	30	29	18	28	16	27	13	26	13	25	4
	21	20	18	15	12	12					
9	31	32	18	33	15	34	12	35	11	36	4
	1-3	1-3	1-3	1-2	1-2	2					

T.12N R.3W 2nd Mer.

	45	45-46	45-46	44-46	44-47	44-47						
49	6	77	5	69	4	64	3	59	2	53	1	44
	76	76		69		63		58		53		
49	7	75	8	68	9	63	10	58	11	53	12	43
	75	74		68		63		57		52		
48	18	74	17	67	16	62	15	57	14	52	13	43
	73	73		67		62		56		51		
48	19	73	20	67	21	61	22	56	23	51	24	43
	72	72		66		61		55		50		
48	30	71	29	66	28	60	27	55	26	50	25	43
	71	70		65		60		54		50		
47	31	70	32	65	33	59	34	54	35	49	36	42
	39	40	40-41	40-41	39-41	39-42	39-42					

The figures on the lines refer to the page.

Township N. 12. North of Range N. 8 West 2nd Mer. / S. 4
Ch. Lk.

South Boundary.

East On the South Boundary of sec. 31 T. N. 12. R. N. 3 W.
N. 3 W. 2nd Mer. S. 4.
6.00 Entered the N. Boundary of Harrison's Purchase
and set a post for the cor. of sec. 31. T. N. 12. R. N. 3 W.
from which a Beck. 3 in. dist. bears S 48 W. 9 1/2 mi. dist.
made a L. 3, " " S 35 E. 12 " "
Surveyed by
James Holmes. D. S.

West On a Random line On the South Boundary of sec. 36. T.
N. 12. R. N. 3 W.
6.05 To a Brook. 12 miles wide, Comes N.
28.00 " " L. 11. " " " " N. E.
40.00 Set a timber post for the cor. off 1/4 sec.
50.00 To a Brook. 4 miles wide, Comes N.
80.00 Set a timber post for the cor. of sec. 35 & 36.
E. 3/4 2nd rate land; first rate for farming.
Timber Beck. Act. Oak. &c.

West On a Random line On the South Boundary of sec. 35
T. N. 12. R. N. 3 W.
40.00 Set a timber post for the cor. off 1/4 sec.
63.00 To a Brook 8 miles wide, Comes N.
67.00 " " L. 6 " " " " "
80.00 Set a timber post for the cor. of sec. 34 & 35
East 1/2 1st rate land; West 1/2 2nd rate good for
farming;

West On a Random line. On the South Boundary of sec. 34.
T. N. 12. R. N. 3 W.
40.00 Set a timber post for the cor. off 1/4 sec.
45.00 To a small Brook. Comes N.

T. N. 12. N. R. N. 3 W. 2nd Mer. Ind. 3

80.00 Set a temp. post for the cor. of sec. 33/34
 Lands 2nd rate lands; Timber Birch Sugar Hickory

Sunday May 31st 1819.

West On a Random line On the South Boundary of sec. 33.
 T. N. 12. N. R. N. 3 W.

22.00 To a Brook 10 links wide, Course N.

33.00 " " 10 " 5 " " " "

40.00 Set a temp. post for the cor. of 1/4 sec.

51.00 To a Brook 10 links wide, Course N.

80.00 Set a temp. post for the cor. of sec. 32.133
 Lands 2nd rate; Good for farming; Timber Birch,
 Sugar, Poplar, &c.

West On a Random line On the South Boundary of sec. 32.
 T. N. 12. N. R. N. 3 W.

26.00 To a Brook 10 links wide, Course N.

40.00 Set a temp. post for the cor. of 1/4 sec.

67.00 To a Brook 10 links wide, Course N.

80.00 Set a temp. post for the cor. of sec. 31.532.
 Lands 2nd rate; Timber rather Broken; Timber same

West On a Random line On the South Boundary of sec. 31.
 T. N. 12. N. R. N. 3 W.

2.00 To a Brook 10 links wide, Course N.

40.00 Set a temp. post for the cor. of 1/4 sec.

54.12 Enter at the N. Boundary Line of Harrison's Ran-
 ch 36 links South of the Old Cor. on the Random
 line Lands Soil timber to same as last mile.

East On the true line On the South Boundary of sec. 31.
 T. N. 12. N. R. N. 3 W.

14.16 Set the temp. post on the true line for the cor. of 1/6 sec.

V. 5° 35'

at 30

41

T. N^o 12. N.R. N^o 3. M^o 2nd Mer. Sub^o

54.16 From which a Buck 12 in. diam. bears S 8 E. 30 the dish;
 and a Do. 14 " " " N 43 W. 28 " "
 Set the temp^l post on the true line for the cor. of sec 31 &
 32. From which a
 Buck 14 in diam. bears East 12 links dish; and
 Do. 12 " " " S 68 W. 27 " "

East On a true line On the South Boundary of sec. 32. T.
 N^o 12 N.R. N^o 3 W.
 40.00 Set the temp^l post on the true line for the cor. of 1/4 sec.
 From which a Buck 14 in diam. bears S 77 E. 13 the dish; and
 and a Do. 6 " " " N 71 W. 17 " "
 80.00 Set the temp^l post on the true line for the cor. of sec. 32 & 33.
 From which a Gun. 12 in diam. bears - 53 W. 10 the dish
 and a Hackberry 27 " " " S 22 E. 40 " "

East On a Random line On the South Boundary of sec. 33. T.
 N^o 12 N.R. N^o 3 W.
 40.00 Set a post for the cor. of 1/4 sec. on the true line from which
 a Oak 30 in diam. bears N 72 W. 16 links dish; and
 Buck. 24 " " " S 18 E. 44 " "
 80.00 Set the temp^l post on the true line for the cor. of sec 33 &
 34 from which a Buck 14 in diam. bears S 84 W. 17 the dish
 and a Do. 15 " " " N 48 E. 22 " "

East On a true line On the South Boundary of sec. 34. T. N^o
 12 N.R. N^o 3 W.
 40.00 Set the temp^l post on the true line for the cor. of 1/4 sec.
 from which a Buck 12 in diam. bears N 15 E. 28 links dish;
 and a Do. 18 " " " S 65 E. 31 " "
 80.00 Set the temp^l post on the true line for the cor. of sec. 34 & 35
 from which a Buck 14 in diam. bears S 76 W. 18 links dish
 and a Gun. 27 " " " N 68 E. 47 " "

T. N. 12. N. R. N. 37. 2nd Mer. Ind.

East On the true line On the South Boundary of sec. 35
T. N. 12. N. R. N. 37.

40.00 Set the temp. 4 feet on the true line for the cor. off 1/4 sec.
from which a Beech 8 in. diam. bears N 83 E. 9 the dist.
equal a Sugar. 14 " " " S 86 W. 28 " "

80.00 Set a post for the cor. of sec. 35 & 36 on the true line
from which a Walnut. 14 in. diam. bears S 84 W. 24 the dist.
equal a Sugar. 18 " " " S 86 E. 28 " "

East On the true line On the South Boundary of sec. 36. T. N.
12. N. R. N. 37.

40.00 Set the temp. 7 feet on the true line for the cor. off 1/4 sec.
from which a Hick. 12 in. diam. bears S 61 W. 16 the dist.
equal a Sassafras 5 " " " N 47 E. 12 " "

80.00 Set a post for the cor. of T. N. 11. 11 & 12. 13. N. R. 3
N. 213 W. from which a
Beech 14 in. diam. bears N 44 W. 17 the dist. 14
Hick. 14 " " " S 62 E. 12 " "

East Boundary N. 6° 20' a 35.

North On the East Boundary of sec. 36 T. N. 12. N. R. N. 37

10.00 Iron Brook 12 the sides, comes N. E.

40.00 Set a post for the cor. off 1/4 sec. from which a
Poplar. 18 in. diam. bears S 73 E. 5 the dist. 14
Oak. 30 " " " N 80 W. 34 " "

58.00? Iron Brook. 10 the sides, comes E.

70.00 " " " 8 " " " N.

79.80 " " " 8 " " " E.

80.00 Set a post for the cor. of sec. 35 & 36 from which a
Beech. 24 in. diam. bears N 6 E. 31 the dist. 14
Oak. 27 " " " N 13 W. 54 " "

Under land and 2nd rate; Timber Beech Oak. Sugar.
ash &c. Good for farming.

43

T. N^o 12. NR. N^o 37. 2nd Mer. Sec^s

North 40.00	On the East Boundary of Sec. 25. T. N ^o 12. NR. N ^o 37. Set apart for the cor. of $\frac{1}{4}$ sec. from which a Kick 15 in. dist. bears N 79 E. 18 links dist; ra, W. Oak. 36 " " " S 56 W. 25 " "
41.00	To a Brook. 10 links wide, Corner W.
80.00	Set apart for the cor. of sec. 24 & 25 from which a Kick 9 in. dist. bears S 5 E. 11 links dist; ra, W. Oak. 27 " " " N 34 W. 35 " " Sandy soil and timber same as last mile.
North 36.50	On the East Boundary of Sec. 24 T. N ^o 12. NR. N ^o 37. To a Brook 10 links wide, Corner W.
40.00	Set apart for the cor. of $\frac{1}{4}$ sec. from which a Kick 9 in. dist. bears S 53 E. 9 links dist; ra, Do. 14 " " " N 29 W. 11 " "
80.00	Set apart for the cor. of sec. 13 & 24 from which a Kick 18 in. dist. bears N 43 E. 8 links dist; ra, Do. 18 " " " S 76 W. 18 " " Sandy soil; fruit rather thick Timber Buck. Oak & elm. &c.
North 40.00	On the East Boundary of Sec. 13. T. N ^o 12. NR. N ^o 37. Set apart for the cor. of $\frac{1}{4}$ sec. from which a Cherry 18 in. dist. bears South 11 links dist; ra, Kick 24 " " " N 37 W. 24 links "
80.00	Set apart for the cor. of sec. 12 & 13. from which a Kick 9 in. dist. bears S 50 W. 22 links dist; ra, Do. 9 " " " N 26 E. 29 " " Sandy soil and good for farming; Timber Buck Sugar. Ash, Poplar & Walnut
North 40.00	On the East Boundary of Sec. 12 T. N ^o 12. NR. N ^o 37. Set apart for the cor. of $\frac{1}{4}$ sec. from which a

T. N. 12. N. R. N. 37. 2nd Mer. Sud. 45

4 Buck. 18 in. dia. trees. S 77 E. 26 links dist; 8
 20 " " " " S 67 W. 17 " "
 80.00 Set a post for the cor. of sec. 1 & 12 from which a
 Poplar. 24 in. dia. trees. S 65 E. 25 links dist; 8
 13 Gum. 12 " " " N 51 W. 7 " "
 Sand level and creek. Timber Buck. Oak & Gum.

North On the East Bound of sec. 1. T. N. 12. N. R. N. 37.
 30.00 To a Brook 5 links wide, Corner N.
 40.00 Set a post for the cor. of 1/4 sec. from which a
 Buck 24 in. dia. trees S 33 E. 7 links dist; 8
 14 " " " " N 49 W. 59 " "
 80.00 Set a temp. post for the cor. of T. N. 12. & 13. 13 N.
 R. N. 37. Sand rich and good for farming.
 Timber Buck, Sugar, Ash, Poplar &c.

West North Boundary.
 West On a Random line On the South Bound of sec. 36. T. N.
 13. N. R. N. 37.
 40.00 Set a temp. post for the cor. of 1/4 sec.
 51.00 To a Brook. 150 links wide, Corner S.
 80.00 Set a temp. post for the cor. of sec. 35 & 36.
 Sand rich and good for farming; Timber Gum

West On a Random line On the South Bound of sec. 35.
 T. N. 13. N. R. N. 37.
 2.00 To a Brook. 50 links wide, Corner S.
 40.00 Set a temp. post for the cor. of 1/4 sec.
 80.00 " " " " " " " " Sec. 34 & 35
 East of land and rather wet. West of rolling & good.

West On a Random line On the S. Bound of sec. 34 T. N. 13.
 N. R. N. 37. 2nd Mer.

T. N. 12 N. R. N. 37. 2nd Mer. Ind.

40.00	Set a trap for the cor. of 14 sec.
50.00	To a Brook 12 hrs. ride, Come S.E.
55.00	" " " " " " " "
80.00	Set a trap for the cor. of sec. 32 & 33. Lands rolling; good for farming; Timber Beech, Sugar, Poplar & Ash.
West	On a Random line On the South Boundary of sec. 33. T. N. 13. N. R. N. 37.
7.00	To a Brook. 6 hrs. ride, Come N.E.
40.00	Set a trap for the cor. of 14 sec.
80.00	Set " " " " " " " " Sec. 32 & 33. Lands level and rather wet; Timber Oak, Beech, Hickory
West	On a Random line On the S. Boundary of sec. 32. T. N. 13. N. R. N. 37.
30.00	To a Brook. 8 hrs. ride, Come S.
40.00	Set a trap for the cor. of 14 sec.
65.00	To a Brook. 15 hrs. ride, Come S.E.
80.00	Set a trap for the cor. of sec. 31 & 32. Lands rolling and good for farming; Timber Beech, Sugar, Ash, and Poplar.
June 7 th 1819	
West	On a Random line On the South Boundary of sec. 31. T. N. 13. N. R. N. 37.
40.00	Set a trap for the cor. of 14 sec.
57.25	Intersect the Range line between Ranges 3 & 4 N. 47 miles South of Sec. 16 to Towns 12 & 13. N. R. 3 & 4 N. Lands very rich and good for farming; Timber Sugar
East	On a Random line On the South Boundary of sec. 31. T. N. 13. N. R. N. 37.

V. N^o 12 N.R. N^o 37. 2nd. Mer. Sud^o.

- 17.25 Set a post for the cor. of 14 sec. on the true line from which
 Buck 30 in. dist. bears N 29 N. 9 links dist; 1st
 N 48 " " " S 49 N. 25 " "
 57.25 Set the temp^l post on the true line for the cor. of sec. 31. 32 from
 which Sugar 18 in dist. bears S 50 E. 20 links dist; 1st
 Co. 24 " " " N 157 N. 23 " "

East On the true line On the South Corner of sec. 32 T. N^o 13
 N.R. N^o 37.

- 40.00 Set the temp^l post on the true line for the cor. of 14 sec.
 from which a Buck 11 in dist. bears S 16 N. 21 links dist
 under a Co. 30 " " " N 36 E. 17 " "
 80.00 Set a post for the cor. of sec. 32 & 33 on the true line from
 which a Buck 12 in dist. bears S 80 N. 9 links dist
 under a Co. 30 " " " N 64 E. 21 " "

East On the South Corner of sec. 33 T. N^o 13 N.R.
 N^o 37. True line

- 40.00 Set the temp^l post on the true line for the cor. of 14 sec. from
 which a Buck 18 in. dist. bears S 83 N. 25 links dist;
 under a Neck 7 9 " " " N 47 E. 20 " "
 80.00 Set the temp^l post on the true line for the cor. of sec. 33 & 34
 from which Sugar 24 in dist. bears N 32 E. 28 links dist
 under a Buck 18 " " " S 8 E. 50 " "

East On a true line On the South Corner of sec. 34 T. N^o
 13 N.R. N^o 37.

- 40.00 Set the temp^l post on the true line for the cor. of 14 sec.
 from which a Buck 10 in dist. bears N 39 E. 7 links dist
 under a Co. 14 " " " N 59 N. 14 " "
 80.00 Set the temp^l post on the true line for the cor. of sec. 34 & 35
 from which a Buck 18 in dist. bears East 10 links dist; 1st
 under a Neck 30 " " " S 37 N. 21 " "

47

T. N. 12. N. R. N. 37. 2nd Mer. Sec. 7

East On the true line On the S. Boundary of sec. 35. T. N. 13. N. R. N. 37. 2nd Mer.

40.00 Set the temp. 17 post on the true line for the cor. of 14 sec. From which a Sugar. 9 in dir. bears N 47. 25 the dir.; or
Bench. 9 " " " 46 7. 23 " "

80.00 Set the temp. 17 post on the true line for the cor. of sec. 35 & 36 From which a Bench. 10 in dir. bears S 10 E 18 the dir.;

East On the true line On the South Boundary of sec. 36. T. N. 13. N. R. N. 37.

40.00 Set the temp. 17 post on the true line for the cor. of 14 sec. From which a Bench. 9 in dir. bears N 35 7. 12 the dir.
up to a 10 " " " S 43 E. 13 " "

80.00 Set a post for the cor. of Towns 12 & 13 N. R. N. 213 W. 228 miles South of the Temp. 17 post. From which a Sugar. 14 in dir. bears N 16 7. 18 the dir.; or
Bench. 18 " " " S 83 E. 22 " "

West Boundary.

North On the East Boundary of sec. 36. T. N. 12. N. R. N. 47. From the cor. of T. N. 11. & 12 N. R. N. 314 W.

4.30 Enter out the N. Boundary of Harrison's Purchase & Set a post for the cor. of fract. sec. 36. From which a Maple. 16 in dir. bears S 71 7. 27 the dir.; or
Rd. 14 " " " S 15 E. 43 " "

Surveyed by James Holmes D.S.

North Continued the East Boundary of sec. 36. From the post on the N. Boundary of Harrison's Purchase.

28.50 To Eel River, 200 miles wide, Coines N.

35.70 Set a post for the cor. of 14 sec. From which a Sugar. 12 in dir. bears N 52 E. 10 the dir.; or
Bench. 10 " " " S 42 E. 5 " "

75.70 Set a post for the cor. of sec. 25 & 36 from which a

B 180

A 30

T. N. 12. N. R. N. 37. 2nd Mer. Ind.

Auger 9 in. dia. beam. N 37 E. 19 links deep; 1st
 Aug. 8 " " " S 57 W. 13 "
 Sandstone similar to that of Beech. Some Helix, Pecten
 Yucca &c. 2nd rate soil. Fruit rather wet.

North Cut the East Boundary of sec. 25 T. N. 12. N. R. N. 47
 40.00 Set apart for the cor. of 1/4 sec. from which a
 Helix 18 in. dia. beam. S 34 W. 18 links deep; 1st
 Aug. 10 " " " " N 47 E. 28 " "
 67.00 To a Brook. 10 links wide, Corner N.
 80.00 Set apart for the cor. of sec. 24 & 25 from which a
 Helix 10 in. dia. beam. N 60 E. 1 link deep; 1st
 Aug. 9 " " " " S 60 W. 29 " "
 Sandstone muddling good for farming;

North Cut the East Boundary of sec. 24 T. N. 12. N. R. N. 47
 40.00 Set apart for the cor. of 1/4 sec. from which a
 S. Oak, 36 in. dia. beam. S 74 E. 3 links deep; 1st
 Aug. 5 " " " " S 66 W. 10 " "
 80.00 Set apart for the cor. of sec. 13 & 24 from which a
 Aug. 17 in. dia. beam. S 43 E. 7 links deep; 1st
 Pecten 30 " " " " N 45 W. 17 " "
 Sandstone and good for farming; Timber Oak, Pop-
 lar & Ash.

North Cut the East Boundary of sec. 13 T. N. 12. N. R. N. 47
 40.00 Set apart for the cor. of 1/4 sec. from which a
 Aug. 8 in. dia. beam. N 25 W. 11 links deep; 1st
 Oak 18 " " " " S 23 E. 25 " "
 80.00 Set apart for the cor. of sec. 12 & 13. From which a
 Oak 8 in. dia. beam. S 33 W. 28 links deep; 1st
 Aug. 24 " " " " N 43 E. 22 " "
 Sand very rich; and good for farming.

T. N. 12. R. N. 37. 2nd Mer. Sec.

Ambr. Beach, Sugar, Poplar & Walnut.

North Out the East Corner of sec. 12 T. N. 12 R. N. 37.
 34.00 To a Brook. 8 links wide, Corner West.
 38.00 " " " " " "
 40.00 Set apart for the cor. to 14 sec. from which a
 Poplar 24 in diam. bears. North 21 links west & a
 Oak 36 " " " S 57 N. 10 " "
 80.00 Set apart for the cor. of sec. 1 & 12 from which a
 Sugar 14 in diam. bears. S 57 E. 15 links west; & a
 Poplar 40 " " " S 57 N. 20 " "

North Out the East Boundary of sec. 1 T. N. 12. R. N. 37.
 2.00 To a Brook. 25 links wide, Corner West.
 40.00 Set apart for the cor. of 14 sec. from which a
 Birch 18 in diam. bears. N 72 E. 17 links west; & a
 Oak 24 " " " S 30 N. 39 " "
 80.00 Set a temporary post for the cor. of T. 12 & 13. R. 20 & 37.
 Land sold and to give same as last mile.

Surveyed by William Harris D.S.

Subdivisions

N. 6° 40'

North Between Sec. 35 & 36 T. N. 12. R. N. 37.
 4.00 To a Brook. 20 in diam. stands in the line.
 32.33 To a Sugar 12 " " " " "
 40.00 Set apart for the cor. of 1/4 sec. from which a
 Birch 24 in diam. bears. N 73 E. 18 links west; & a
 Hickory 6 " " " West 15 " "
 55.89 To a Sugar 8 in diam. stands in the line.
 80.00 Set apart for the cor. of sec. 25, 26, 35 & 36. from which a
 Birch 24 in diam. bears. N 89 E. 23 links west; & a
 Oak 5 " " " N 84 N. 15 " "
 Land sold and 2nd rate; Ambr. Beach Sugar Oak.

T. N. 12. N. R. N. 3 W. 2nd Mer. Ind. a

Poplar and some Walnut. Shin U.S.

East	On a Random line between Sec. 25 & 36 T. N. 12. N. R. N. 3 W.
40.00	Set a temporary post for the cor. off $\frac{1}{4}$ sec.
80.40	Set the East Bound. 3 links South of the post cor. off sec. 25 & 36. Sands level and 2 nd date; Timber Beech Sugar. Ash, Poplar & Oak, W. Spruce.
West	On the true line between Sec. 25 & 36 T. N. 12. N. R. N. 3 W.
40.20	Set the temporary post at the corner dish on the true line for the cor. off $\frac{1}{4}$ sec. From which Beech. 20 in diam. bears. N 67 E. 25 links dish; 1 st date Oak. 13 " " " S 67 W. 20 " "
80.40	To the post cor. off sec. 25, 26, 35 & 36
North	Between Sec. 25 & 26 T. N. 12. N. R. N. 3 W.
9.80	To a Beech. 14 in diam. stands in the line.
40.00	Set a post for the cor. off $\frac{1}{4}$ sec. From which Beech. 18 in diam. bears. S 33 W. 24 links dish; 1 st date Oak. 19 " " " N 38 E. 26 " "
43.25	To a Beech. 14 in diam. stands in the line.
66.85	To a Brook. 34 links wide, Course N. West
72.50	" " Beech. 18 in diam. stands in the line
80.00	Set a post for the cor. off sec. 23, 24, 25, & 26 from which Beech. 15 in diam. bears. S 86. W. 8 links dish; 1 st date Oak. 22 " " " S 78 E. 43 " " Sands level and 2 nd date; Timber Beech Sugar Oak, Ash, Poplar, & White. U.S. Spruce, & Logwood Nov. 9 th 1819.
East	On a Random line between Sec. 24 & 25 T. N. 12. N. R. N. 3 W.
19.80	To a Brook. 26 links wide, Course N.

T. N^o 12. N. R. N^o 37. 2nd Mer. Sudth

40.00 Set the tempo post for the Cor. of 1/4 Sec.
 79.75 Intersect the E. Boundary line 2 links South of the
 post for the Cor. of Secs 24. & 25. Land level & 2nd rate
 Timber Buck, Ash, Poplar & Oak. Spruce N. G.

West On the true line between Secs 24. & 25. T. N^o 12. N. R. 37.
 39.87 1/2 Set the tempo post at the corner within the true line for the
 cor. of 1/4 Sec. from which a
 W. Oak 20 in diam. bears N 87 W. 16 links dist; 19
 " Buck 14 " " " N 85 E. 45 " "
 79.75 To the post cor. of Secs 23, 24, 25 & 26.

North Return Sec. 23. & 24. T. N^o 12. N. R. N^o 37.
 6.56 To a Sugar 20 in diam. stands on the line
 40.00 Set a post for the cor. of 1/4 Sec. from which a
 " Buck 22 in diam. bears S 52 W. 14 links dist; 8
 " " 19 " " " N 80 E. 9 " "
 44.40 To a Buck 17 in diam. stands on the line.
 72.46 " " " 15 " " " " " "
 79.20 To a Buck 7 in diam. bears S 60 E.
 80.00 Set a post for the cor. of Secs 13, 14, 23 & 24 from which
 " Buck 11 in diam. bears S 44 W. 13 links dist; 8
 " " 10 " " " N 11 E. 24 " "
 Land level and 2nd rate; Timber Buck, Sugar, Oak
 Poplar, Ash, &c; W. Spruce & Logwood

East On a random line between Secs 13 & 24. T. N^o 12. N. R. N^o 37.
 40.00 Set a tempo post for the cor. of 1/4 Sec.
 79.33 Intersect the East Boundary 1 link N. of the post cor. of Sec.
 23 & 24. Land level and good 2nd rate; Timber Buck,
 Sugar, Ash, Poplar and Walnut. W. Spruce

West On the true line between Secs 13. & 24. T. N^o 12. N. R. N^o 37

T. N. 12. NR. N. 3 W. 2nd Mer. Ind.

39.76 1/2	Set the temporary post at the acon. dist. on the true line for the cor. of 1/4 sec. from which a Beech. 12 in diam. trees N 34 W. 25 links dist; 1 a. Hv. 14 " " " S 5 W. 6 " "
79.33	To the post cor. of sec. 13, 14, 23 & 24
North	Between Sec. 13 & 14 T. N. 12. NR. N. 3 W.
5.44	Set Beech. 22 in diam. stands on the line
40.00	Set a post for the cor. of 1/4 sec. from which a Beech. 15 in diam. trees S 58 W. 23 links dist; 1 a. Sugar. 17 " " " N 56 E. 28 " "
41.75	Set a Poplar 72 in diam. stands on the line
77.72	" " Beech. 11 " " " " " "
80.00	Set a post for the cor. of sec. 11, 12, 13 & 14 from which Sugar. 18 in diam. trees N 86 E. 9 links dist; 1 a. Poplar. 42 " " " N 36 W. 5 " " Land level and good 2nd rate; Timber Beech, Poplar, Sugar, Ash, & Walnut. U.S. Spruce.
East	On a Random line between Sec. 12 & 13 T. N. 12. NR. N. 3 W.
40.00	Set a temporary post for the cor. of 1/4 sec.
79.67	Intersect the E. Boundary 40 links north of the post cor. of sec. 12 & 13. Land all level & 2nd rate; Timber Beech, Sugar, Ash, Poplar, Oak, & Hickory U.S. Spruce. Ash & some Hazelnut.
West	On the true line between Sec. 12 & 13 T. N. 12. NR. N. 3 W.
39.83	Set the temporary post at the acon. dist. on the true line for the cor. of 1/4 sec. from which a Poplar. 60 in diam. trees N 30 W. 18 links dist; 1 a. Beech. 24 " " " S 9 E. 28 " "
79.67	To the post cor. of sec. 11, 12, 13 & 14

I. No. 12. N.R. No. 37. 2nd Mer. Sud. a.

North Return Sec. 11. & 12 I. No. 12. N.R. No. 37.
 10.73 To a Poplar 36 in dia: Stands in the line
 34.10 To a Spring branch, Corner S. W.
 37.20 " " To a 20 mile wide, Corner S. W.
 40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which
 Buck 12 in dia: bears. S 84 W. 36 miles west; 12
 43 Oak. 24 " " N 77 E. 30 " "
 47.25 To a R Oak. 22 in dia: Stands in the line
 74.73 " " Buck. 10 " " " " "
 80.00 Set a post for the cor. of Sec. 1, 2, 11. & 12 from which a
 Buck. 11 in dia: bears. N 27 E 25 miles west; 12
 80.8 " " " S 29 W. 26 " "
 Land here and nearby not timbered Buck, Hickory,
 Sugar Oak & W. Spruce.

East On a Random line between Sec. 1 & 12 I. No. 12. N.R. No. 37.
 40.00 Set a temporary post for the cor. of $\frac{1}{4}$ sec.
 42.25 To a Spring branch, Corner N. W.
 80.23 Intersect the East Boundary 101 miles N. of the post
 cor. of sec. 1 & 12 The N. post (Pt) rate broken land;
 2nd of 2nd mer; Timber Oak, Buck, Sugar Oak &
 Hacky. N. Spruce & Oak, Grubs

West On the true line between Sec. 1 & 12 I. No. 12. N.R. No. 37.
 40.11 1/2 Set the temporary post at the av. dist on the true line for
 the cor. of $\frac{1}{4}$ sec. from which
 Log mode 5 in dia: bears. S 86 W. 11 miles west; 12
 Sugar. 20 " " S 66 E. 21 " "
 80.23 To the post cor. of sec. 1, 2, 11. & 12.

North Return Sec. 1 & 2. I. No. 12. N.R. No. 37.
 10.46 To a W. Oak. 30 in dia: Stands in the line
 18.57 To a Branch of the line. 33 miles wide, Corner N. E.

2.65	Crossing, corner I W
4.00	Set a tempo post for the cor. of 1/4 sec.
78.64	Intersect the East Boundary or N 89 W 127 the N of the post cor. of sec. 25, 26, 35, & 36. Sands level on the 2 nd rate; Junco Bush Sugar Oak, Ash, Poplar & Hickory; W. Spine
West	On the true line between Sec. 26 & 35 I N ^o 12. N.R. N ^o 3 W.
39.32	Set the tempo post at the cor. dist on the true line for the cor. of 1/4 sec. from which Bush 20 in dist. bears. S 88 W 23 hanks dist; 1 c Poplar 36 " " " S 79 E 35 " "
78.64	Set the post cor. of sec. 26, 27, 34 & 35.
North	Between Sec. 26 & 27. I N ^o 12. N.R. N ^o 3 W.
17.65	Cross Bush 8 in dist. stands in the line.
34.17	" " Hickory 20 " " " " "
40.00	Set a post for the cor. of 1/4 sec. from which Bush 14 in dist. bears. S 72 E 29 hanks dist; 1 c L. 22 " " " S 80 W 12 " "
44.77	Cross Brook 10 hanks on the corner W.
49.85	" " L. 25 " " " " "
51.85	Crossycarrow 13 in dist. stands in the line.
55.50	" " Brook 25 hanks wide corner S.
76.34	Cross Bush 15 in dist. stands in the line.
80.00	Set a post for the cor. of sec. 22, 23, 26, & 27 from which Bush 23 in dist. stands S 42 E 15 hanks dist; 1 c L. 14 " " " N 45 W 12 " " Sands level on the 2 nd rate; Junco Bush Sugar Oak, Poplar, Oak, & Sycamore. W. Spine & Dogwood
East	On a random line between Sec. 23 & 26 I N ^o 12. N.R. N ^o 3 W.
40.00	Set a tempo post for the cor. of 1/4 sec.

I. N. 12. N. R. N. 3 M. 2nd Mer. Sud.

78.75 Into cut the N & S line 133 links North of the post cor
of sec. 23, 24, 25, & 26.
Sands level and 2nd rate; Chert Bush, BT & M.
Oak, Pin Oak, Spruce, Birch, Ash, & Hickory, U. S. Oak
& Bush &c.

West On the true line between Sec. 23 & 26 I. N. 12. N. R. N. 3 M.
39.3 1/4 Set the temporary post at the true. Most in station line for
the cor. of 1/4 sec. from which a

Bush 15 in dia. bears. S 9 E. 6 links dist; & a

Ln 18 " " " N 69 77.9 " "

78.75 To the post cor. of sec. 22, 23, 26, & 27.

11th Nov. 1819.

North Between Sec. 22, & 23. I. N. 12. N. R. N. 3 M.

5.60 To a Bush. 13 in dia. stands in the line

39.28 " " Ln 18 " " " " " "

40.00 Set a post for the cor. of 1/4 sec. from which a

Bush. 30 in dia. bears. N 37 E 10 links dist; & a

Ln 18 " " " S 45 77.31 " "

55.50 To a spring branch. Course S W.

60.75 " " Bush 20 in dia. stands in the line.

73.12 " " Hick 18 " " " " " "

80.00 Set a post for the cor. of sec. 14, 15, 22 & 25. from which a

Bush. 10 in dia. bears. S 75 W. 27 links dist; & a

Ln 15 " " " N 63 E. 13 " "

Sands level and 2nd rate; Chert Bush, Sugar,
Oak, Poplar, Hickory Oak, & Elm. U. S. Spruce & Bush.

East On a Random line between Sec. 14 & 23. I. N. 12. N. R. N. 3 M.

40.00 Set a temporary post for the cor. of 1/4 sec.

76.90 To a Brook. 10 links wide, course S. E.

78.54 Into cut the N & S line 23 links N of the post cor.

57

I. N^o 12. N. R. N^o 37. 2nd Mer. Lid^a.

of sec. 13. 14. 23. 24

Land good land & 2nd rate; Sugar Bush, Sugar. Oak, Poplar, B. Walnut, W. Spruce.

West
39.27 On the true line between Sec. 14 & 23 I. N^o 12 N. R. N^o 37.
Set the temporary post at the corner dist on the true line for the corner off 1/4 sec. from which
Kick 10 in dist. bears N 16 E. 16 links dist; 12, Oak 36 " " " N 15 E. 15 " "
78.54 To the first corner of sec. 14. 15. 22. & 23.

North
8.14 Between Sec. 14 & 15 I. N^o 12. N. R. N^o 37.
36.91 To a Bush 12 in dist. stands in the line.
40.00 " " " 20 " " " " " "
40.00 Set a post for the corner off 1/4 sec. from which a
Bush 24 in dist. bears S 87 E. 45 links dist; 12, Sugar 15 in. " " N 48 W. 2 " "
45.32 To a Bush 6 in dist. stands in the line.
58.22 " " " 13 " " " " "
80.00 Set a post for the corner off sec. 10. 11. 14 & 15 from which a
Spruce Oak, 42 in dist. bears S 55 W. 23 links dist;
Bush 15 " " " N 49 E. 25 " "
Land 1/2nd rate; 2nd rate a little broken.
Sugar Bush, Sugar. Oak, Oak & Poplar, W. Spruce
and Bush & some Dogwoods.

East
32.40 On a standard line between Sec. 11 & 14 I. N^o 12 N. R. N^o 37.
40.00 To a Bush 13 links under, Corner N. W.
40.00 Set a temporary post for the corner off 1/4 sec.
77.89 Cut the N & S line 14 links (East?) of the first
corner of sec. 11. 12. 13 & 14
Land 1/2nd rate; 2nd rate a little better; 2nd rate rich
Sugar Oak, Bush, Ash, B. Walnut & Sugar.

I No 12. N.R. No 3 N. 2nd 1/2nd Sec. 1st

W. J. Spier

West On the town line between Sec. 11 & 14 I. N. 12. N.R. No 3 N.
38.44 1/2 Let the transport post at the corner dish in the town line
for the cor. off 1/4 Sec. from which
Rack 24 in dist. bears N 84 E. 19 links dish; 1st
No. 12 " " " S 86 W. 6 " "
77.89 To the post cor. off Sec. 10-11. 14 & 15.

North Return Sec. 10 & 11 I. N. 12. N.R. No 3 N.
7.70 Iron Buck 27 in dist. stands in the line.
13.30 " " Brook 18 links wide, Course N.W.
36.79 " " " 16 in dist. stands in the line.
46.00 Let a post for the cor. off 1/4 Sec. from which
S. Oak. 20 in dist. bears S 70 E. 7 links dish; 1st
N. Buck 4 " " " N 77 W. 12 " "
40.10 Entered abottom.
41.96 To a N. Oak. 26 in dist. stands in the line.
63.80 To El. now. 96 links wide, Course S.W.
74.14 To a Buck 18 in dist. stands in the line.
86.00 Let a post for the cor. off Sec. 2, 3, 10 & 11 from which a
N. Buck 6 in dist. bears N 20 E. 20 links dish; 1st
or Sec. 6 " " " S 25 W. 24 " "
Sands Pt. 1/2 2nd rate; 1/2 1st rate. Timber
Buck. Oak, Walnut, Oak, Poplar, Sugar, W. J. Spier &c.

East On a Random line between Sec. 2 & 11 I. N. 12. N.R. No 3 N.
20.00 Left Bottom & entered high land.
27.55 To a Brook 7 links wide, Course N.W.
40.00 Let a transport post for the cor. off 1/4 Sec. ✓
77.60 Entered the N & S line 21 links S. of the post cor. off
Sec. 1, 2, 11, & 12 Sands rolling & rich, Timber
Buck. Walnut & Sugar, Oak Poplar Oak &c. W. J. Spier &c.

I N^o 12 N.R. N^o 37. 2nd Mer. Sur.

West
38.30 On the line between Lot 2 & 11. I N^o 12 N.R. N^o 37
Set the trip. post at the corner where the line
for the cor. off 1/4 sec. from which a
Beck. 23 in dist. bears N 10 E. 25 links dist; 1st
dist. 24 " " " S 10 N. 21 " "
77.60 To the post cor. off sec. 2, 3, 10, & 11

North
1.40 Between Lot 2 & 3. I N^o 12 N.R. N^o 37.
To a Beck. 18 in dist. stands in the line.
37.00 Entered high lands
37.70 To a W. Oak. 25 in dist. stands in the line.
40.00 Set a post for the cor. off 1/4 sec. from which a
Beck. 13 in dist. bears S 57 E. 5 links dist; 1st
dist. 15 " " " S 45 N. 39 " "
46.30 To a Beck. 15 in dist. stands in the line.
72.78 " " 18 " " " " " "
77.95 Entered the N.B. boundary 83 links East of the post.
cor. off sec. 34 & 35 I N^o 13. N.R. N^o 37 & set a
post for the cor. off sec. 2 & 3. from which a
Beck. 14 in dist. bears S 70 N. 18 links dist; 1st
dist. 10 " " " S 64 E. 24 " "
Lands 1st 1/2 hard and rich; 2nd 1/2 broken &
2nd rate; Timber, Beech, Sugar, Walnut, Ash,
and Oak. Mth Spier to 12th Nov. 1819.

North
6.50 Between Lot 33 & 34 I N^o 12. N.R. N^o 37.
To a W. Oak. 36 in dist. stands in the line.
35 1/4 To a Beck. 10 " " " " " "
40.00 Set a post for the cor. off 1/4 sec. from which a
Beck. 14 in dist. bears N 46 E. 29 links dist; 1st
dist. 21 " " " S 46 N. 5 " "
45.25 To a Beck. 19 in dist. stands in the line.
70.02 To a Beck. 16 in dist. corner N.N.

T. N. 12. R. 14. 37. 2nd Mer. Sec. 2

76.00 To a W. Oak. 22 in dia. stands in the line.
 80.00 Set a post for the cor. off sec. 27, 28, 33 & 34 from which
 S. 55. W. 16 in dia. beam S 55. W. 4 links each; 1 a
 Buck. 18 " " " N 57 E. 37 " "
 S. 40 broken & 3rd rule; Buck. Hickory W. Oak.
 Buck. & Logwood W. 8.

East Quarter section line between Sec. 27, & 34 T. N. 12. R. 37.
 40.00 Set a temporary post for the cor. off 1/4 sec.
 80.07 Enter cut the N. 55 line 10 links South of the post cor. off
 sec. 26, 27, 34, & 35
 S. 40 nothing & 2nd rule; Junior Buck. Oak W. Oak
 W. 8. Buck.

West Quarter section line between Sec. 27, & 34 T. N. 12. R. 37.
 40.53 1/2 Set a temporary post at the cor. dist. on the line
 for the cor. off 1/4 sec. from which
 Buck. 18 in dia. beam. S 87 E. 8 links each; 1 a
 Q. 10 " " " N 58 W. 17 " "
 80.07 To the post cor. off sec. 27, 28, 33 & 34.

North Quarter section line between Sec. 27, & 28. T. N. 12. R. 14. 37.
 13.40 To a W. Oak. 36 in dia. stands in the line.
 34.50 " " Buck. 24 " " " " " "
 40.00 Set a post for the cor. off 1/4 sec. from which
 W. Oak. 36 in dia. beam. S 67 E. 29 links each; 1 a
 Q. 20 " " " N 65 W. 23 " "
 53.50 To a Buck. 50 links wide, corner N. W.
 56.26 " " Buck. 20 in dia. stands in the line.
 76.43 " " Q. 15 " " " " " "
 80.00 Set a post for the cor. off sec. 21, 22, 27, & 28 from which
 Buck. 12 in dia. beam. N 87 E. 20 links each; 1 a
 Q. 14 " " " S 27 E. 19 " "

S. N° 12. N.R. N° 37. 2nd Mar. Sud?

Land 3rd rate; hills; Lumber Brook, Sugar, N. Oak
& Hickory; Mt. Logans & Buck, etc.

East Out Pardon line between Sud. 22 & 27. S. N° 12. N.R. 37.
40.00 Set a trap for the cor. off 1/4 sec.
72.25 To at Brook. 12 huts wide, Corner S.E.
79.30 Enter cut the N. 15° line 83 huts south of the post cor.
of Sud. 22, 23, 26, 27.
Land 3rd rate; Lumber Brook, Sugar, N. Oak
& Hickory. Mt. Spruce & Ash.

West Out the line between Sud. 22 & 27. S. N° 12. N.R. 37.
39.66 Set the traps for the cor. dish on the line for
the cor. off 1/4 sec. From which
N. Oak. 36 in dist. bears. S 45° W. 44 huts dish; 1 a
Brook. 14 " " " N 51° E 39 " "
79.30 To the post cor. off Sud. 21, 22, 27 & 28.

North Between Sud. 21 & 22 S. N° 12. N.R. 37.
33.50 To at Brook. 2 huts wide, Corner S.W.
34.63 " " Brook. 14 in dist. stands in the line.
40.00 Set a post for the cor. off 1/4 sec. From which
Brook. 24 in dist. bears. S 55° W. 23 huts dish; 1 a
Oak. 17 " " " N 22° E 46 " "
46.00 To at Brook. 24 in dist. stands in the line.
65.00 To Eel river 75 huts wide, Corner S.W.
78.11 " at Brook. 22 in dist. stands on the line.
78.50 Entered Eel river.
80.00 Set a post for the cor. off Sud. 15, 16, 21 & 22 in Eel river
From which a Cypress 34 in dist. bears. N 59° W. 76 huts dish
and a Willow 12 " " " N 58° E 104 " "
Land 1st & 2nd rate broken & 2nd rate; 2nd & 3rd rate.
Lumber Brook Sugar & Hickory; Mt. Spruce & Ash.

I N^o 12 N.R. N^o 37. 2nd Mer. Ind.

East On a Random line between Sec. 15 & 22 T. N^o 12. N.R. N^o 37.
 17.23 To Brook. 2 1/2 miles, Corner N.W.
 40.00 Set a trap for the cor. off 1/4 sec.
 78.76 To the cut the N & S line 119 links South of the post cor. off
 Sec. 14, 15, 22 & 23
 Sugar 18. 2nd rate; Sugar 22. Sugar, 28.
 Spin & Ash,

West On the same line between Sec. 15 & 22. T. N^o 12. N.R. 37.
 39.38 Set the trap for the post at the cor. dish on the same line
 for the cor. off 1/4 sec. from which
 Sec. 16 in deer beams. S 6 E. 2 1/2 links dist; 19
 Sec. 19 " " " N 20 W. 17 " "
 78.76 To the post cor. off sec. 15, 16, 21 & 22
 Nov. 13th 1819.

North Between Sec. 15 & 16. T. N^o 12. N.R. N^o 37.
 5.00 Up the River then left it on the West side
 25.00 To Eel river 70 links wide, Corner E.
 27.75 " at the 10.7 30 in deer. Stands in the line.
 31.30 To Eel river 70 links wide, Corner S.W.
 40.00 Set a post for the cor. off 1/4 sec. from which
 N. Oak. 27 in deer. beams. N 35 W. 23 links dist; 27
 Birch 16 " " " S 19 W. 22 " "
 47.62 To Brook. 14 in deer. Stands in the line.
 59.75 " " Brook. 25 links wide, Corner N.E.
 70.80 To N. Oak. 30 in deer. Stands in the line.
 80.00 Set a post for the cor. off sec. 9, 10, 15 & 16 from which
 Birch. 24 in deer. beams. N 53 E. 27 links dist; 19
 Sugar. 10 " " " N 77 W. 8 " "
 Sec. 18th in deer; 2nd rate; 2nd rate; Sugar
 Brook. Sugar. Ash & Oak. N. Spin & Birch.

T. N. 12. N. R. N. 37. 2nd Mer. Sec.

East	On a Random line between Sec. 10 & 15 T. N. 12. N. R. 37
34.00	Entered bottom
38.71	To East River 129 links wide Thomas I.
40.00	Set a temporary post for the cor. of $\frac{1}{4}$ sec. Nov. 14. 1819
50.00	Entered upland.
78.74	Intersected the East & Second Mer. N. & S. line 140 lbs. dist. of the post cor. of sec. 10. 11. 14 & 15. Landed here; all except bottom, 2 nd rate; Bottom 1 st rate; Timber Beech, Sugar, Ash, Oak, Elm, & Sycamore.
West	On the true line between Sec. 10 & 15. T. N. 12. N. R. N. 37
39.37	Set the temporary post at the av. dist. in the true line for the cor. of $\frac{1}{4}$ sec. from which
	Back to the 1 st dist. bears S. 49 N. 5 lbs. dist; 1 st rate
	Sec. 5 " " " N 42 E 23 " "
78.74	To the post cor. of sec. 9. 10. 15, 110
North	Between Sec. 9 & 10 T. N. 12. N. R. N. 37
4.20	Iron Buck 18 in diam. stands in the line
36.40	" " Poplar 8 " " " " "
40.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which
	W. Oak 24 in diam. bears North 70 E. 15 lbs. dist. 9 a
	Dogwood 6 " " " S. 66. W. 19. " "
48.33	To a W. Oak 20 in diam. stands in the line
76.25	" " Buck 9 " " " " "
80.00	Set a post for the cor. of sec. 3. 4. 9. & 10 from which
	Buck 11 in diam. bears N 72 W. 9 $\frac{1}{2}$ links dist; 1 st rate
	Sec. 8 " " " S 3 $\frac{1}{2}$ E. 38 " "
	Land bottom & 3 rd rate; Timber Oak, Beech, Poplar Oak, & Sugar, W. Birch, Sumac & Dogwood
East	On a Random line between Sec. 3 & 10 T. N. 12. N. R. 37

Tⁿ N^o 12. N^o 3 W. 2nd Mer. Sud.

- 40.00 Set a temporary post for the cor. off $\frac{1}{4}$ sec.
- 63.34 To a Brook 25 links near Corner S.E. & Entered bottom
- 70.00 To a Brook 25 links near Corner S.W.
- 79.56 Intersected the N 15' line 27 links South of the post cor. of lot 2, 3, 10 & 11.
 Sand a little 2nd rate; 2nd rate; 2nd rate; 2nd rate
 Oak, Beech, Oak, Maple & Sugar, Wg. Spruce, Beech
 Oak & Ironwood.
-
- West
- 39.78 Set the temporary post on the true line for the cor. off $\frac{1}{4}$ sec at the am. dist; from which a
 Hickory 15 in. diam. bears N 76° E 2 links dist; & a
 Do. 16 " " " N 45° W 17 " "
- 79.56 To the post cor. off lot 3, 4, 9, & 10
-
- North
- 6.87 To a N. Oak, 42 in. diam. stands in the line.
- 34.88 " " Hickory 24 " " " " "
- 40.00 Set a post for the cor. off $\frac{1}{4}$ sec. from which
 N. Oak, 24 in. diam. bears South 10 links dist; & a
 Elm 13 " " " N 29° W 15 " "
- 41.49 To a Hickory 10 in. diam. stands in the line.
- 75.93 " an N. Oak, 24 " " " " "
- 80.07 To a spring branch, Corner N.
- 81.16 Intersect the N Boundary 151 links East of the post cor. of lot 3, 3, & 34. Tⁿ N^o 13 N^o 3 W. and set a post for the cor. off lot 3 & 4 from which
 Beech 8 in. diam. bears N 26° W 7 links dist; & a
 Hickory 6 " " " S 74° E 26 " "
 Sand a little broken & 2nd rate; 2nd rate; 2nd rate
 Oak & Hickory, Wg. Logwood, Beech &c.

65

D. No. 12. N.R. No. 37. 2nd Mer. Line.

North Return Lat. 32° 33' I. N. 12. N.R. No. 37.
 7.73 To a buoy 11 in air stands in the river.
 11.25 To a spring; Course N.E.
 35.00 Entered Bottom.
 35.31 To a buoy 10 in air stands in the river.
 38.75 To Eel river; thence up the River Course S.W.
 40.00 Set a post for the cor. off 1/4 sec. in the River, from which
 a Beach 36 in air bears East. 56 miles dist; S a
 Maple 10 " " " N 47° 125 " "
 43.50 Came out of the River on the S.W. side
 60.59 To a Hick 12 in air stands in the river
 77.55 " " " Beach 15 " " " " " "
 80.00 Set a post for the cor. off Lat. 28.29, 32° 33' from which
 a Beach 20 in air bears N 77° E. 25 1/2 miles dist; S a
 Hick 11 " " " N 34° 7.5 " "
 Land broken 2nd rate; Timber Beach. Oak Hick
 W. Beach shrubs

East Oak Run line between Lat. 33.28 I. N. 12. N.R. No. 37.
 31.95 To Eel river 78 miles more, Course S.W.
 40.00 Set a post for the cor. off 1/4 sec. (Dimp.)
 60.00 To Eel River. 75 miles more, Course S.W.
 70.00 " " " 100. " " " " " "
 79.84 Entered the N & S line 198 miles South of the post
 cor. off Lat. 27, 28, 33 & 34
 Land Broken 3rd rate; Timber Beach & Oak
 W. Beach & Logwood. N. 73. On this line between
 the 1st & last crossing a mill site

West On the same line between Lat. 28 & 33 I. N. 12. N.R. No. 37.
 39.92 Set the temporary post on the same line at the corr. dist on
 the same line for the cor. off 1/4 sec. from which.
 Beach 8 in air bears N 20° E. 26 miles dist; S a

S. N° 12 N.R. N° 3 M. Quad (Mon. Ind^s)

79.84 Buck 22 in diam. bears S 37 N. 20 links dist; on
 the Post cor. of Sec. 28, 29 32 & 33.

North Between Sec. 28. & 29 S. N° 12 N.R. N° 3 M.
 6.67 Iron Buck. 10 in diam. Stands in the line.
 35.05 To a Mark 22 " " " " " "
 40.00 Set a post for the cor. of $\frac{1}{4}$ Sec. from which a
 Buck 18 in diam. bears S 9 E. 31 links dist; on
 the 23 " " " " " " S 47 N. 15 " "
 41.41 Iron Sugar. 26 in diam. Stands in the line.
 71.10 " " Spring: Corners N.E.
 79.50 Iron Buck. 17 in diam. Stands in the line.
 80.00 Set a post for the cor. of Sec. 20. 21. 28 & 29 from which
 Buck 12 in diam. bears N 13 E. 27 links dist; on
 the 6 " " " " " " S 32 E. 25 " "
 Land broken + 2nd rate; Timber Oak, Sugar, & Ash
 W.G. Buck, Shrub

East On a Random line between Sec. 21 & 28. S. N° 12 N.R. N° 3 M.
 3.15 Iron Buck. 20 links mid, Corners S.
 40.00 Set a temporary post for the cor. of $\frac{1}{4}$ Sec.
 54.75 To El River 125 links mid, Corners S.
 80.54 Intersected the N. & S. line 170 links S. of the post
 cor. of Sec. 21. 22. 27 & 38. Nov. 16th 1879

West On the true line Between Sec. 21 & 28. S. N° 12 N.R. N° 3 M.
 40.27 Set a post for the cor. of $\frac{1}{4}$ Sec. (temp^y) at the same dist. on the
 true line from which a
 Buck 19 in diam. bears S. 46. W. 30 links dist. & a
 S. 10. " " " " " " S 87 E. 7. " "
 80.54 To the post set for the Cor. of Sec. 20. 21. 28 & 29.
 Land broken & 2nd rate. Timber Buck & Oak.
 W.G. Buck, Dogwood, Ironwood, & Brier

67

T. No 12. N. No. No 3. W. 2nd Mer (Inda)

North Between Sec. 20. & 31. T. No 12. N. No. No 3. W.
 2. 00 To a Buck 15. links wide. Course E.
 8. 33 To a W. Oak 25. in. diam. stands in the line
 40. 00 Set a post for the cor of $\frac{1}{4}$ Sec. from which a
 Buck 17. in. diam. bears N. 25. E. 23. p. links dist Va
 No 12. " " " G. 17. W. 16. " "
 44. 58 To a Buck 10. in. diam. stands in the line
 70. 31 " " Buck 14. " " " " " "
 80. 00 Set a post for the cor of Sec. 16. 17. 20. & 31. from which
 a Buck - in. diam. bears G. 5. W. 21. links. dist Va
 G. 18. " " " N. 29. E. 39. " "
 Land level & 2nd rate Timber Buck Oak Hick.
 Sugar & Ash. W. G. Buck &c.

East On a Random line between Sec. 16. & 31. T. No 12. N. No. No 3. W.
 40. 00 Set a temp^y post for the cor of $\frac{1}{4}$ Sec.
 67. 00 Entered the River Bottom.
 73. 41 To Ed river. Course S. W. line running up the river
 80. 61 Intersected the S. & G. line 88. links S. of the post
 cor. of Sec. 15. 16. 21. & 33.
 Land in the first $\frac{1}{4}$ level, 2nd $\frac{1}{4}$ Broken. Timber
 Buck Oak & Hickory, W. G. Buck. Oak & other
 Shrubs very thick Land 2nd rate.

West On the true line Between Sec. 16. & 31. T. No 12. N. No. No 3. W.
 40. 30 1/2. Set a temp^y post for the cor. of ~~the~~ at the av. dist
 on the true line for the cor. of $\frac{1}{4}$ Sec. from which a
 Buck. 20 in. diam. bears G. 16 E. 22 links dist; 1 a
 Dog note 5 " " N 34 W. 31 " "
 80. 61 To the post cor. of Sec. 16. 17. 20. & 31.

North Return Sec. 16 & 17 T. No 12 N. No. No 3 W.
 183 To a W. Oak, 42 in. diam. stands in the line.

T. N^o 12. N.R. N^o 37. 2nd Mer. Sec^o

- 4000 Set a post for the cor. of $\frac{1}{4}$ sec. from which a
Sugm. 19 in dist. bears S 31 $\frac{1}{2}$ W. 25 links dist; or
Buck. 10 " " " N 9 $\frac{1}{2}$ W. 16 " "
- 4430 Iron Buck. 10 in dist. Stands in the line.
- 68.67 Top. 16. 21 " " " " " "
- 80.00 Set a post for the cor. of Sec. 8. 9. 16. 17 from which a
Buck. 14 in dist. bears S 32 $\frac{1}{2}$ W. 27 links dist; or
Dy. 13 " " " " " " " " " "
Sands dist 2nd rate; Iron Buck. N 41 $\frac{1}{2}$ W. 3. Oak
Hick. Poplar, & Ash, W. Buck. & Spruce.

East Quarter Random line between Sec. 9 & 16 T. N^o 12. N.R. 37.

- 4000 Set a post (temp^y) for the cor. of $\frac{1}{4}$ sec.
- 78.40 Iron Buck. 12 links wide. Corner E.
- 80.50 Intersect the N & S line. 64 links South of the post.
cor. of Sec. 9. 10. 15 & 16.
Sands dist made 2nd rate; Iron Buck. Oak. Ash.
Hick. and Poplar. W. Buck. Ash & Spruce.
very thick in some places.

West Quarter line between Sec. 9 & 16 T. N^o 12. N.R. 37.

- 40.25 Set the temp^y post at the corner dist on the line
for the cor. of $\frac{1}{4}$ sec. from which a
Hick. 18 in dist. bears N 26 $\frac{1}{2}$ W. 9 links dist; or
Buck. 10 " " " S 31 $\frac{1}{2}$ W. 10 " " "
- 81.50 Set the post cor. of Sec. 8. 9. 16. 17.

North Quarter Sec. 8 & 9 T. N^o 12. N.R. N^o 37.

- 6.65 Iron Gun 8 in dist. Stands in the line
- 34.18 " " Buck. 10 the side, Corner E.
- 40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which a
Hick. 15 in dist. bears N 26 $\frac{1}{2}$ W. 31 links dist; or
Dy. 18 " " " " " " " " " " " "
S 16 $\frac{1}{2}$ E. 39 links dist;

T. N^o 12. N.R. N^o 37. 2nd Mer. Ind^a

44.06	To a Hick 11 in dia. It stands in the line.
45.15	To an ash. 3 in dia. " " " "
80.00	Set a post for the cor. of Sec. 4. 5. 8 & 9 from which a W. Oak. 24 in dia. bears East 26 links north; 1 a, Lo. 22 " " " " S 85 W. 22 " " Land book and 2 nd rate; Timber Buck, W. Oak, W. Oak, & Hick. W. G. Sassafras & Birch.
East	On a random line between Sec. 4 & 9 T. N ^o 12. N.R. N ^o 37.
8.00	To a Birch 8 links north, Corner S.
40.00	Set a temporary post for the cor. of 1/4 Sec.
49.40	To a Birch 10 links north, Corner S.
71.50	" " Lo. 9 " " " "
80.20	Intersect the N. S. line 18 links South of the post cor. of Sec. 3, 4, 9 & 10. Land book and 2 nd rate; Timber Buck, Oak, & Hick, W. G. Birch. & Spruce Shrub.
West	On the true line between Sec. 4 & 9 T. N ^o 12. N.R. N ^o 37.
40.10	Set the temporary post at the corner. dist. on the true line for the cor. of 1/4 Sec. from which a Buck. 22 in dia. bears N 80 E 77.13 links north; 1 a, Sassafras 15 " " S 41 E. 22 " " 80.20 To the post cor. of Sec. 4. 5. 8 & 9
North	Between Sec. 4 & 5 T. N ^o 12. N.R. N ^o 37.
5.90	To a Hick 10 in dia. It stands in the line.
28.51	" " Lo. 14 " " " " " "
40.00	Set a post for the cor. of 1/4 Sec. from which a Hick 18 in dia. bears N 31 E. 15 links north; 1 a, Lo. 13 " " " " S 62 W. 11 " "
40.85	To a Hick 19 in dia. It stands in the line
66.75	" " W. Oak. 23 " " " " " "

T. N. 12. R. N. 37. 2nd Mer. Ind.

73.00 To a Brook 19 lbs mids, Course E.
 82.21 Set out the N. from N. 180 units East of the first
 cor. off lat. 32.133. T. N. 13. R. N. 37 and set a
 post for the cor. off lat. 44.5 from which
 Brook. 20 in mid. bears N 27 $\frac{1}{2}$ E. 35 lbs dist; 1st
 Ho. 25 " " " S 56 E 21 " "
 Sands N. 1st 1st level; 2nd & 3rd broken & 2nd rate; Timber
 Hick., Oak, & Birch. W. J. Birch & Spruce
 Nov. 17. 1819

North Between Lat. 31.134 T. N. 12. R. N. 37.
 0.50 To a Brook 19 lbs mids, Course N.E.
 16.57 " " N. Oak, 21 in. dist. stands in the line.
 24.50 To a stone quarry; appears to be limestone
 30.00 To a cor. in 115 lbs mids, Course N. at which place
 supposed to be with lead.
 39.45 To a Brook 18 in dist. stands in the line.
 40.00 Set a post for the cor. off 1/4 sec. from which
 Brook. 15 in mid. bears S 59 E. 13 units dist; 1st
 Ho. 18 " " " N 18 $\frac{1}{2}$ E 38 " "
 42.00 To a Brook 18 " " stands in the line.
 59.25 To a Brook 7 lbs mids, Course S.E.
 75.60 To a Brook 18 in dist. stands in the line.
 80.00 Set a post for the cor. off lat. 29.30, 31.132 from which
 Brook. 24 in mid. bears North 2 units dist; 1st
 Ho. 22 " " " N 70 $\frac{1}{2}$ E. 27 " "
 Sands broken & 2nd rate; Timber Birch. Oak. & Hick.
 Mud. & Logwood, Spruce, Oak, & Spruce.

East On a line in between Lat. 29.132. T. N. 12. R. N. 37.
 14.25 To a Brook. 10 lbs mids, Course E.
 38.50 " " Ho. 4 $\frac{1}{2}$ " " S. 14.
 40.00 Set a trip. post for the cor. off 1/4 sec.

I N^o 12. N.R. N^o 37. 2nd Mon. Jan^y 71

80.50 Enter cut the N & S line 182 links S. of the first cor. of sec.
28, 29, 30, 31, 33. Lands here and 2nd rate; Timber
Beck, Hick^y Oak, & Ash, W.G. Beck, Oak & Spruce.

West On the true line between Sec. 29. & 30 I N^o 12. N.R. N^o 37.
40.00 Set the trumpet post at the corner dish in the true line for the
cor. of 1/4 sec. from which a
Beck 42 in dia. bears. S 88 E. 29 the dish; & a
Do 20 " " " N 52 W. 19 " "
80.00 On the first cor. of sec. 29, 30, 31, & 32

West Between Sec. 30 & 31. I N^o 12. N.R. N^o 37.
2.90 Iron Beck. 20 in dia. stands in the line.
40.00 Set a post for the cor. off 1/4 sec. from which a
Hick^y 24 in dia. bears. N 36 E. 13 links dish; & a
Do 24 " " " S 70 E. 39 " "
42.80 Cop. Sugar. 10 in dia. stands in the line
59.90 Enter cut the West Boundary. 180 links S. of the first cor.
of sec. 35 & 36. I N^o 12. N.R. N^o 47. and set a post.
for the cor. of sec. 30 & 31 from which a
W. Oak 30 in dia. bears. N 44 W. 9 links dish; & a
Beck 20 " " " S 68 E. 33 " "
Lands here and 2nd rate; Timber Beck, Hick^y Oak
and Sugar, W.G. Beck, & Spruce Shrubs.

North Between Sec. 29 & 30. I N^o 12. N.R. N^o 37.
6.55 Iron Beck. 12 in dia. stands in the line.
33.35 " " Sugar. 10 " " " " "
40.00 Set a post for the cor. off 1/4 sec. from which a
Beck 10 in dia. bears. N 34 W. 11 links dish; & a
Do 8 " " " S 20 E. 46 " "
42.84 Iron Beck. 16 in dia. stands in the line.

I N^o 12. N R N^o 3. app. 2nd Mr. And.

69.79 Iron Buck. 18 in. diam. stands in the line.
 80.00 Set a post for the cor. of sec. 19, 20, 29 & 30 from which a
 Buck. 30 in. diam. bears S 13 E. 39 links mesh; & a
 Sugar. 8 " " " N 1 1/2 E. 22 " "
 Same level and 2nd rate; Chitten Buck. 14 in.
 Sugar. Ash. Oak. W. Spine. Nov. 18. 1819.

East On a Random line between Sec. 20 & 29. I N^o 12. N R. N^o 3 W.
 40.00 Set a temporary post for the cor. of 1/4 cu.
 79.68 Intersect the N 83 W line 5 links S. of the post cor. of sec.
 20, 21, 28, & 29. Same broken & 2nd rate; Limber
 Buck. Sugar. Ash. Oak. & Hickory W. Spine &c.

West On the true line between Sec. 20. & 29 I N^o 12. N R. N^o 3 W.
 39.84 Set the temporary post at the av. dist. on the true line for
 the cor. of 1/4 cu. from which
 Buck. 24 in. diam. bears N 45 E. 23 1/2 links mesh; & a
 Ash. 10 " " " West 18 " "
 79.68 To the post cor. of sec. 19, 20, 29 & 30.

West Between Sec. 19 & 30 I N^o 12. N R. N^o 3 W.
 4.68 To Hickory 12 in. diam. stands in the line.
 28.42 " " 24 " " " " " "
 40.00 Set a post for the cor. of 1/4 cu. from which a
 Buck. 14 in. diam. bears N 71 1/2 E. 16 links mesh; & a
 Elm. 16 " " " S 15 W. 16 " "
 59.36 Intersect the West. Random. 147 links South of the post
 cor. of sec. 24 & 25. I N^o 12. N R. N^o 4 W. & set a post for
 the cor. of sec. 29 & 30. from which a
 Buck. 10 in. diam. bears N 18 E. 10 links mesh; & a
 Sugar. 14 " " " S 32 W. 37 " "
 Same level and 2nd rate; Chitten Buck. Sugar
 Hickory Oak & Elm.

73

I. N. 12. N. W. N. 3 1/4 2nd Mer. (Ind. 2)

North Between Sec. 19 & 20. T. N. 12. N. R. N. 3 1/4 2nd Mer.
 2. 25 To a Buck 20. in. diam. stands in the line.
 34. 44 To a Poplar 24. " " " " "
 40. 00 Set a post for the Cor. of 1/4 Sec. from which a
 Sugar 10. in. diam. bears N. 71° E. 20. links. dist. & a
 Buck 6. " " " S. 29 1/2 W. 9. " "
 53. 07 To a Buck 16. in. diam. stands in the line
 79. 27 " " To 24. " " " " "
 80. 00 Set a post for the Cor. of Sec. 17. 18. 19. & 20. from which a
 Buck 18. in. diam. bears N. 51° W. 20 1/2 links. dist. & a
 To 16. " " " S. 37 1/2 E. 41. " "
 Land level & 2nd rate. Timber. Beech. Ash. Sugar &
 Hickory. Poplar. &c. W. G. Spice. &c.

East On a Wanders line between Sec. 17. & 20. T. N. 12. N. R. N. 3 1/4 W.
 22. 50 To a Brook 30. links wide; Course S.
 40. 00 Set a tempo post for the Cor. of 1/4 Sec.
 30. 50 Intersected the N. & S. line 132. links N. of the post Cor. of
 Sec. 16. 17. 20. & 21. Land broken & 2nd rate. Timber
 Buck. Hick. Oak. Ash. & Poplar. W. G. Spice & Buck.

West On the true line between Sec. 17. & 20. T. N. 12. N. R. N. 3 1/4 W.
 40. 25 Set a post on the true line for the Cor. of 1/4 Sec. at the ave-
 dist. on the true line from which a
 Hick. 24. in. diam. bears N. 52° W. 33. links dist. & a
 To 18. " " " S. 40 1/2 E. 23. " "
 80. 50 To the post for the Cor. of Sec. 17. 18. 19. & 20.

West Between Sec. 18. & 19. T. N. 12. N. R. N. 3 1/4 W. 2nd Mer.
 1. 75 To a Brook 16. links wide Course E.
 7. 50 To a Buck 14 in. diam. stands in the line
 10. 75 To a Brook 15. links wide. Course E. running on the line
 36. 00 To an W. Oak 45. in. diam. stands in the line

T. No 12. NW No 3 W. 2nd Mer. (Ind.)

- 40.00 Made the corner a Beech 16. in. diam. from which a
Beech 24. in. diam. bears North 28. links dist. & an
Ash 22. " " " S. 36. W. 17. " "
- 45.48 To a Beech 18. in. diam. stands in the line.
- 59.29 Intersected the West Boundary 178. links S. of the spot
for the cor. of Sec. 13. & 34. T. No 12. N. No ~~12~~ 3 W. & set
a post for the cor. of Sec. 18 & 19 from which an
Oak 24 in. diam. bears S. 11 E. 23 links dist. & an
Poplar 8 " " " N 3 E. 18 1/2 " "
Land sold. under 2nd rate; Timber Beech. Oak. Ash,
& White & W. Beech. Dogwood & Spruce.

- North Return Sec. 17 & 18 T. No 12. NW No 3 W.
- 2.00 To a Beech. 22 the side, corner S.
- 3.97 " " W. Oak. 24 in. diam. stands in the line.
- 37.30 " " W. Oak. 4 in " " " " "
- 40.00 Set a post for the cor. of 1/4 sec. from which a
Sugar 18 in. diam. bears S. 1 1/2 N. 22 the dist. & an
Oak 13. " " " N 7 E. 23 " "
- 41.30 To a Beech. 20 the side, corner S. E.
- 53.95 " " Gum. 35 in. diam. stands in the line.
- 64.20 " " Beech 16 the side, corner S.
- 73.10 " " Oak. 14 " " " S. N.
- 77.25 To a Hickory 28 in. diam. stands in the line.
- 80.00 Set a post for the cor. of sec. 7, 8, 17 & 18 from which a
Beech. 21 in. diam. bears N 69 1/2 E 23 the dist. & an
Oak 19 " " " S 12 N. 26 " "
Land sold under 2nd rate; Timber Oak, Hickory
Gum Ash, Poplar & Sugar, W. Beech, Dogwood & Spruce.

- East On a Random line between Sec. 8 & 17 T. No 12. NW No 3 W.
- 38.0 To a Beech. 13 links side, corner S. N.
- 40.00 Set a temporary post for the cor. of 1/4 sec.

I N^o 12. N.R. N^o 3 N. 2nd (Nov. Ind.?)

75

80.84 Intersect the N & S line 6 miles South of the post
cor. of sec. 8. 9. 16 & 17
Sundus land on a 2nd rate; Juniper, Birch, Hickory, Oak,
Poplar, W. Spruce, Beech, & Ash,

West Corrected the line between sec. 8. & 17. I N^o 12. N.R. N^o 3 N.
40.42 Set the temporary post for the cor. of $\frac{1}{4}$ sec. at the corner dist.
from the line from which
Ash. 12 mi. dist. bears N 34. E. 19 miles dist; 1 a. 3.
Oak 16 " " " S 62 N. 23 " "
80.84 To the post cor. of sec. 7. 8. 17. & 18.

West Between sec. 7. & 18 I N^o 12. N.R. N^o 3 N.
1.30 To a Birch 18 mi. dist. stands on the line.
40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which
Birch. 27 mi. dist. bears East. 8 lbs dist; 1 a.
Do. 4 " " " S 84 $\frac{1}{2}$ N. 19 " "
59.27 Intersect the West 2nd line N. 7. 23rd the South of the post
cor. of sec. 12. & 13. I N^o 12. N.R. N^o 4 N. and set a
post for the cor. of sec. 7. & 18 from which
W. Oak. 24 mi. dist. bears S 5 $\frac{1}{2}$ E. 7 lbs dist; 1 a.
Sugar. 22 " " " N 37 N. 33 " "
Cedar & Norway 2nd rate; Juniper, Birch, Oak, Sugar
& Ash; W. Spruce & Birch. Nov. 17 1817

North Between sec. 7. & 8 I N^o 12. N.R. N^o 3 N.
7.03 To a Birch. 18 mi. dist. stands on the line.
36.68 " " Hickory 12 " " " " " "
40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which
Ash. 18 mi. dist. bears S 28 E. 11 miles dist; 1 a.
W. Oak. 6 " " " N 11 E. 15 $\frac{1}{2}$ " "
44.69 From W. Oak. 12 mi. dist. stands on the line.
69.73 " " Ash. 36 " " " " " "

T. N^o 12. N.R. N^o 37. 2nd Mer. Ind^a.

8000 Let a post for the cor. of sec. 5, 6, 7, & 8 from which a
Sugm. 30 in diam. bears S 70 W. 25 the dish; 1 a,
Buck. 48 " " " N 21 E. 46 " "
Sands 1st rate including ls & rather Mer; 2nd & 3rd dry
1st rate; Timber Buck, Sugar, Ash, & Hick^o.

East On a Meridian line between Sec. 5 & 8. T. N^o 12. N.R. N^o 37.

40.00 Let a post for the cor. of 14 sec. (Main N. 1)

80.29 Enter cut the N. & S line 10 miles North of the post cor.
of Sec. 4, 5, 8 & 9.

Sands 1st and 2nd rate; Timber N. Oak, Ash,
and Buck.; W. Spruce.

West On the true line between Sec. 5 & 8. T. N^o 12. N.R. N^o 37.

40.114 Let the true post at the av. dish on the true line for the
cor. of 14 sec. from which a

Buck. 20 in diam. bears S 57 1/2 W. 9 the dish; 1 a,

Op. 18 " " " N 26 W. 22 " "

80.29 To the post cor. of sec. 5, 6, 7, & 8.

West Between Sec. 6 & 7 T. N^o 12. N.R. N^o 37.

0.82 To a B. Walnut 28 in diam. stands on the line.

34.19 " " Sugar 14 " " " " " "

40.00 Let a post for the cor. of 14 sec. from which a

Buck. 20 in diam. bears N 15 E. 34 the dish; 1 a,

Op. 18 " " " S 50 1/2 W. 34 " "

52.8 To a Sugar. 20 in diam. stands on the line.

59.55 Enter cut the West Meridian 273 miles South of the
1st post cor. of sec. 1 & 10 T. N^o 12. N.R. N^o 47 & set a

post for the cor. of Sec. 6 & 7 from which a

Sugm. 20 in diam. bears North 23 the dish; 1 a,

Op. 24 " " " S 42 E. 27 " "

Sands old 8. 1st rate, Timber Buck, Ash, Sugar

North Bottom Sec. 576 T. N. 12. N. R. N. 37.
 2.92 For a Sugar, 20 in dia? stands in the line.
 31.92 " " Buck 12 " " " " "
 32.00 For a Buck, 5th mile, Conoco N.
 40.00 Set a post for the cor. of 1/4 sec. from which a
 Buck 22 in dia? trans. N 4 p N 12 the dist; or
 L. 23 " " " N 3 p N. 20 " "
 41.50 For a Sugar, 4 in dia? stands in the line.
 57.40 For a Buck, 50th mile, Conoco S. N.
 73.70 " " Buck 12 in dia? stands in the line.
 82.50 Intersect the N Boundary 202 links East of the
 post cor. of sec. 31.52 T. N. 12. N. R. N. 37. and set
 a post for the cor. of sec. 576. from which a
 Sugar 18 in dia? trans. S 59 E. 20 links dist; or
 L. 13 " " " S 57 N. 13 " "
 Underlying, p. rate; Timber Buck, Ash, Sugar,
 And Poplar, etc. Nov. 20. 1819.
 Surveyed by
 John Milroy D.S.

I certify that the foregoing transcript of the field
 notes of Township N. 12. North of Range N.
 3 West of the 2nd Mer. Indiana, has been com-
 pared with the Original notes in this Office, and found
 to be correct.

Surveyed General's Office

Cincinnati, Dec. 22. 1840

E. S. Haines
 Sur. Genl.